



# BATHROOM 2017

HEATING CATALOGUE


**PRO-V**  
by ventair<sup>tm</sup>

**ventair<sup>tm</sup>**  
THE AIR MOVEMENT SPECIALISTS



# VENTAIR MAKES THE CHOICE EASY

Ventair Pty Ltd is committed to providing the industry with accurate and effective air movement solutions.



All new Ventair products have a quick reference guide to make selecting the right product easier than ever.

Adding duct will proportionally reduce the airflow of an exhaust fan. Keep the duct length as short and straight as possible to help maximise the airflow.

For more detailed airflow data and technical specifications, please see the product data sheet at [www.ventair.com.au](http://www.ventair.com.au)

## WHAT'S THE DEAL WITH THE HEAT?

We strive to find the best heating solutions to bring to Australia. Our new Airbus 3 in 1 bathroom units have low glare instant radiant heat lamps that make getting out of the shower a pleasure.




## LIGHTING UP YOUR BATHROOM

We are making a conscious effort to transform and update most of our lights to energy saving LED. We are currently in the process of updating all models. This means that our lighting is better for the environment and better on your power bills.

## STEAM BUILD UP

A common misconception is that a small bathroom only needs a small exhaust system. During colder months where steam production is at its highest, a small bathroom can actually fill up with steam much faster than a large bathroom. Using heating and a good quality exhaust system is essential to help minimise this effect.



NEW IN 2017!



## AIRBUS

### TOTAL EXHAUST SOLUTION


### 3-IN-1 Bathroom Unit

- New slimline modern design
- Engineered to perform
- High volume extraction exhaust
- Energy saving slimline LED light
- High efficiency low glare carbon filament radiant heat
- 5 year warranty with 2 year in-home service period

Premium quality high performance bathroom unit with integrated heat, light and exhaust functions.




#### Pressure Changes with Ducting



Designed to work on longer duct runs.

#### Dimensions



A	B	C	D	E	F
195mm	148mm	530mm	360mm	505mm	330mm

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
PVP31HLXWH	White	530 x 360mm	65w	330m³H*	45dB(A)	2 x 600w	1 x 18w LED	220mm	505 x 330mm
PVP31HLXS	Silver	530 x 360mm	65w	330m³H*	45dB(A)	2 x 600w	1 x 18w LED	220mm	505 x 330mm

Ventair is leading the Industry by ensuring all airflow data is gathered in accordance with International industry standards.


NEW IN 2017!



# Steampro

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Powerful axial fan designed for rapid removal of steam
- Two colour options: Interchangeable white or silver air vents included
- Instant infrared heat globes
- Long life ball bearing motor
- Round cutout for easy install
- Thermal switch safety feature
- 3 year warranty with 2 year in-home service period



HIGH AIRFLOW




Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
STE31HLX	White/Silver	ø420mm	48w	HIGH*	55dB(A)	3 x 275w	1 x 6w LED	320mm	ø380mm

# Regent PREMIUM BATHROOM SERIES



- New stylish open grille
- Ball bearing side ducted exhaust fan
- Instant radiant heat lamps
- Energy efficient LED panel light
- Ideal for limited installation space
- Aluminium ducting and external grille included
- Thermal switch safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period




Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
V2RHLEXAG	Silver	440x358mm	40w	MED*	42dB(A)	2 x 500w	1 x 12w LED	200mm	415 x 330mm
V2RHLEXWHAG	White	440x358mm	40w	MED*	42dB(A)	2 x 500w	1 x 12w LED	200mm	415 x 330mm



# Brook 2

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Instant infrared heat globes
- Energy efficient flush mount LED downlight
- Aluminium ducting and external grille included
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period




**HIGH AIRFLOW**

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
VHF2S	Silver	525 x 305mm	40w	HIGH*	44dB(A)	2 x 275w	1 x 10w LED	220mm	470 x 240mm
VHF2W	White	525 x 305mm	40w	HIGH*	44dB(A)	2 x 275w	1 x 10w LED	220mm	470 x 240mm

# Brook 4

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- Instant infrared heat globes
- Energy efficient flush mount LED downlight
- Aluminium ducting and external grille included
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period




**HIGH AIRFLOW**

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
VHF4S	Silver	450 x 450mm	40w	HIGH*	44dB(A)	4 x 275w	1 x 10w LED	220mm	375 x 375mm
VHF4W	White	450 x 450mm	40w	HIGH*	44dB(A)	4 x 275w	1 x 10w LED	220mm	375 x 375mm

# Garrison 2

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- High air extraction ball bearing exhaust motor
- Instant infrared 375w heat globes
- Two energy efficient LED lights
- Aluminium ducting and external grille included
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



**HIGH AIRFLOW**

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
Z2HLS	Silver	526 x 306mm	40w	HIGH*	44dB(A)	2 x 375w	2 x GU10 LEDs	220mm	470 x 240mm
Z2HLW	White	526 x 306mm	40w	HIGH*	44dB(A)	2 x 375w	2 x GU10 LEDs	220mm	470 x 240mm

# Garrison 4

HIGH AIRFLOW HEAT, LIGHT & EXHAUST

- High air extraction ball bearing exhaust motor
- Instant infrared 375w heat globes
- Three energy efficient LED lights
- Aluminium ducting and external grille included
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



**HIGH AIRFLOW**

Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
Z4HLS	Silver	482 x 442mm	40w	HIGH*	44dB(A)	4 x 375w	3 x GU10 LEDs	220mm	375 x 375mm
Z4HLW	White	482 x 442mm	40w	HIGH*	44dB(A)	4 x 375w	3 x GU10 LEDs	220mm	375 x 375mm

# Myka 2

## SLIMLINE LOW PROFILE 3-IN-1

- Energy efficient flush mount LED downlight
- Two instant radiant heat globes
- Side ducted ball bearing exhaust fan
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
M2HDLXS	Silver	420 x 245mm	28w	MED*	38dB(A)	2 x 275w	1 x 10w LED	220mm	355 x 200mm
M2HDLXWH	White	420 x 245mm	28w	MED*	38dB(A)	2 x 275w	1 x 10w LED	220mm	355 x 200mm

# Myka 4

## SLIMLINE LOW PROFILE 3-IN-1

- Energy efficient flush mount LED downlight
- Four instant radiant heat globes
- Side ducted ball bearing exhaust fan
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period




Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
M4HDLXS	Silver	370 x 370mm	28w	MED*	38dB(A)	4 x 275w	1 x 10w LED	220mm	310 x 300mm
M4HDLXWH	White	370 x 370mm	28w	MED*	38dB(A)	4 x 275w	1 x 10w LED	220mm	310 x 300mm

# Taylor

## STYLISH HEAT, LIGHT & EXHAUST

- 3-in-1 heater, light and exhaust unit
- Energy efficient LED globes
- Fully enclosed side ducted motor assembly
- Aluminium ducting and external grille included
- Long lasting ball bearing motor
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
V5816S	Silver	440 x 365mm	25w	MED*	38dB(A)	4 x 275w	1 x 6w LED	200mm	295 x 295mm
V5816W	White	440 x 365mm	25w	MED*	38dB(A)	4 x 275w	1 x 6w LED	200mm	295 x 295mm

# Eko

## HEAT, LIGHT & EXHAUST



- Instant radiant heat
- Energy efficient LED light
- Side ducted exhaust fan with draft stopper
- Ducting, external grille and wall switch included
- Long lasting ball bearing motor
- Thermal safety feature
- Easy to clean and install
- Energy saving back draft stopper included
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H2LS	Silver	430 x 250mm	28w	MED*	38dB(A)	2 x 275w	1 x 6w LED	200mm	355 x 200mm
H2LW	White	430 x 250mm	28w	MED*	38dB(A)	2 x 275w	1 x 6w LED	200mm	355 x 200mm

# Eko Duo

## HEAT, LIGHT & EXHAUST



- Instant radiant heat
- Energy efficient LED light
- Side ducted exhaust fan with draft stopper
- Ducting, external grille and wall switch included
- Long lasting ball bearing motor
- Easy to clean and install
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H22LS	Silver	420 x 230mm	28w	MED*	38dB(A)	2 x 275w	2 x 6w LED	200mm	355 x 200mm
H22LW	White	420 x 230mm	28w	MED*	38dB(A)	2 x 275w	2 x 6w LED	200mm	355 x 200mm

# Klein 2

## TWO HEAT UNIT



- 3-in-1 heater, light and exhaust unit
- Fully enclosed side ducted motor assembly
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H2S	Silver	440 x 230mm	25w	MED*	38dB(A)	2 x 275w	1 x 60w R63	200mm	345 x 185mm
H2W	White	440 x 230mm	25w	MED*	38dB(A)	2 x 275w	1 x 60w R63	200mm	345 x 185mm

# Klein 4

## FOUR HEAT UNIT



- 3-in-1 heater, light and exhaust unit
- Fully enclosed side ducted motor assembly
- Aluminium ducting and external grille included
- Thermal safety feature
- Energy saving back draft stopper
- 3 year warranty with 2 year in-home service period



Model	Colour	Grille Size	Exhaust Power	Air Delivery	Noise	Heat	Light	Rec. Min. Install depth	Cutout
H4S	Silver	430 x 375mm	25w	MED*	38dB(A)	4 x 275w	1 x 100w R80	220mm	295 x 295mm
H4W	White	430 x 375mm	25w	MED*	38dB(A)	4 x 275w	1 x 100w R80	220mm	295 x 295mm



# Heatwave Pro

RADIANT OUTDOOR STRIP HEATER




- Outdoor infrared heater
- Create a warm, ambient atmosphere
- IP65 Ideal for outdoor use
- Remote control option (-R models)
- Aluminium casing
- Corrosion-resistant materials
- Wall or ceiling mountable



Model	Remote Controlled	Wattage	IP Rating	Heat Element	DIY	Size
VSH1800	No	1800 watts	IP65	Aluminium Alloy	Plug & Lead	1225 x 177 x 60mm
VSH1800-R	RF Remote Included	1800 watts	IP65	Aluminium Alloy	Plug & Lead	1225 x 177 x 60mm
VSH2400	No	2400 watts	IP65	Aluminium Alloy	Plug & Lead	1505 x 177 x 60mm
VSH2400-R	RF Remote Included	2400 watts	IP65	Aluminium Alloy	Plug & Lead	1505 x 177 x 60mm
VSH3200	No	3200 watts	IP65	Aluminium Alloy	Plug & Lead 15(A)	1915 x 177 x 60mm
VSH3200-R	RF Remote Included	3200 watts	IP65	Aluminium Alloy	Plug & Lead 15(A)	1915 x 177 x 60mm

# Heatwave

RADIANT OUTDOOR STRIP HEATER




- Outdoor wall mounted infrared heater
- Immediate heat with no warm up time
- Create a warm, ambient atmosphere
- Low glare carbon filament heat lamps
- IP65 Ideal outdoor use
- Aluminium casing and stainless steel grille
- Corrosion-resistant materials



Model	Wattage	IP Rating	Heat Element	DIY	Size
VALSH2000	2000 watts	IP65	Carbon HE	Plug & Lead	660 x 88 x 133mm
VALSH3000	3000 watts	IP65	Carbon HE	Plug & Lead 15(A)	1115 x 88 x 133mm



# Heated Towel Rail



## Aztec

### ROUND RAIL

- Long life graphite heat element
- Rounded rail design
- Left or right wiring options
- Quality Stainless steel
- Steel bracket mount
- Double isolated for safety

## Jasper

### SQUARE RAIL

- Long life graphite heat element
- Square rail design
- Left or right wiring options
- Quality Stainless steel
- Steel bracket mount
- Double isolated for safety



Model	Description	IP Rating	Wattage	Finish	Size
Aztec VTK5LS	5 Round Rails	IP34	45-50 watts	Stainless Steel	660 x 550mm
Aztec VTK7LS	7 Round Rails	IP34	45-50 watts	Stainless Steel	910 x 630mm
Jasper VTK5SLS	5 Square Rails	IP34	45-50 watts	Stainless Steel	645 x 550mm
Jasper VTK7SLS	7 Square Rails	IP34	45-50 watts	Stainless Steel	945 x 630mm

# Replacement Globes



## Heat Globes

SUITS MOST BATHROOM UNITS

Model	Wattage
VHL275	275 watts
VHL375 (Garrison Only)	375 watts



## Heat Tubes

SUITS REGENT BATHROOM HEATERS

Model	Wattage	Colour
500W RED TUBE	500 watts	Red
500W WHITE TUBE	500 watts	White
800W RED TUBE	800 watts	Red



## Halogen Globes

HALOGEN REFLECTOR GLOBES

Model	Wattage
R63HF	42 watts
R80HF	70 watts



## GU10 LED

7W GU10 LED GLOBE

Model	Wattage	Colour	Lumens
7WGU10LED	7w	4000K Natural	550Lm



## Reflector Globes

Model	Wattage	Type
ESR63C	11 watts	CFL
ESR80C	15 watts	CFL
VR63LED	6 watts	LED
VR80LED	6 watts	LED



## GU10 LED Globes

Model	Wattage	Colour	Lumens
PT5-LGWW	5 watts	3000k Warm	450Lm
PT5-LGNW	5 watts	4000k Natural	450Lm
PT5-LGCW	5 watts	5000k Cool	450Lm

# Accessories



**Remote Control**  
SUITS ALL VENTAIR  
BATHROOM UNITS

Model	To Suit
V31RFR	Two/Four Heat Bathroom Units



**Run On Timers**

Model	To Suit
CELT7MINTIMER	7 mins
VTR0TIMER	1-25 mins



**Motion Sensor**  
5M DETECTION RANGE

Model	To Suit
VTMSENSOR	1-20 mins



**Ducting Adaptors**

ADAPTOR AND Y CONNECTOR

Model	Size
VDA100-150	100mm-150mm
V150Y	150mm Y Adaptor



**Aluminium Ducting**

FLEXIBLE ALUMINIUM DUCTING

Model	Size
VAD100	ø100mm x 3m
VAD125	ø125mm x 4m
VAD150-3	ø150mm x 3m
VAD150	ø150mm x 6m
VAD200-6	ø200mm x 6m



**PVC Ducting**

FLEXIBLE PVC DUCTING

Model	To Suit
VPVC100	ø100mm x 3m
VPVC125	ø125mm x 4m
VPVC150	ø150mm x 6m



**Round Grille**  
WEATHERPROOF  
ROUND GRILLE

Model	Duct Size
V150WL	ø150mm
V200WL	ø200mm



**Fixed Grille**

FIXED INLET/OUTLET GRILLE

Model	Duct Size
V100FG	ø100mm
V125FG	ø125mm
V150FG	ø150mm



**Gravity Shutter**

EXTERIOR AIR VENT

Model	Duct Size
V100GS	ø100mm
V125GS	ø125mm
V150GS	ø150mm



**Adjustable Vent**

WHITE INTERIOR VENT

Model	Duct Size
V100WRIG	ø100mm
V125WRIG	ø125mm
V150WRIG	ø150mm



**Adjustable Vent**

CHROME INTERIOR VENT

Model	Duct Size
V100CHRIG	ø100mm
V125CHRIG	ø125mm
V150CHRIG	ø150mm



**Hooded Outlet**

STAINLESS STEEL EXTERIOR

Model	Duct Size
V150SHEG	ø150mm



**Premium Vent**  
WEATHER PROOF ALUMINIUM  
EXTERIOR AIR VENT

Model	Size
V150PALG	155 x 280mm



**Door Grille**

DOOR RELIEF AIR GRILLE

Model	Size
VDRAG	440 x 140mm



**Roof Cowl Kit**


THROUGH ROOF COWL KIT

Model	Size
VRCK150	ø150mm



## More Information, Fast.

Scan the unique QR Codes found on the packaging using a QR Code reader on your smart phone for more information on each individual product!



**For more information and technical data, visit**

[www.ventair.com.au](http://www.ventair.com.au)

**22 Silkwood Rise, Carrum Downs Vic 3201**

**WHOLLY AUSTRALIAN OWNED COMPANY**

\*All Technical data gathered strictly in accordance with relevant international standards. Air pressure may vary according to individual ducting application.  
Product appearance may slightly vary from pictured.